




Manual Number: MCCJUB02  
Edition (ECN): 2025292

# Wash Formulas

## RinSave® E-P Plus®





## Contents

1 Overview of Wash Formulas .....	5
1.1 About This Manual .....	5
1.1.1 Scope .....	5
1.1.2 The Normal Display at Start-up .....	5
1.1.3 If this Manual Does Not Have the Necessary Data .....	5
1.1.4 Trademarks .....	5
1.2 Summary of E-P Plus® Configurations and Formulas .....	6
1.2.1 Available Software Configurations .....	6
1.2.2 Formulas Available in Each Configuration .....	6
1.3 How to Use the E-P Plus® Formula Tables .....	9
1.3.1 Sample Formula Table.....	10
1.3.2 Definitions of Step Decision Symbols .....	10
1.3.2.1 T = Type of Step.....	10
1.3.2.2 MMQ = Step Duration .....	10
1.3.2.3 FFF or CCC = Commanded Bath Temperature (Optional).....	10
1.3.2.4 H = Hot Water Valve .....	11
1.3.2.5 C = Cold Water Valve.....	11
1.3.2.6 3 = Third Water Valve (Optional).....	11
1.3.2.7 L = Bath Level.....	11
1.3.2.8 S = Steam (Optional).....	11
1.3.2.9 C = Chemicals .....	12
1.3.2.10 W = When to Inject Chemicals .....	12
1.3.2.11 SS = Chemical Injection Duration.....	12
1.3.2.12 * = Signal with Chemical Injection.....	13
1.3.2.13 SPD = Wash Speed.....	13
1.3.2.14 D = Drain Action .....	13
1.3.2.15 R = Drain Destination (Optional).....	13
1.3.2.16 E = How to End Formula .....	14
1.3.3 Formula Programming Worksheet .....	15
2 Wash Formulas .....	16
2.1 RinSave® Athletic Laundry Formulas .....	16
2.2 RinSave® Correctional Laundry Formulas .....	19
2.3 RinSave® Hotel-Motel Laundry Formulas .....	23
2.4 RinSave® Healthcare Laundry Formulas .....	27
2.5 RinSave® Restaurant Laundry Formulas .....	31
2.6 RinSave® Shirt Laundry Formulas .....	35
2.7 RinSave® Commercial Laundry Formulas .....	39
2.8 RinSave® Offshore Laundry Formulas .....	43
2.9 Gear Guardian® Formulas .....	47
2.9.1 About the Double Extract Step.....	47

## Figures

Figure 1   Worksheet .....	15
----------------------------	----

## Tables

Table 1	Trademarks .....	6
Table 2	Software Configuration for Industries .....	6
Table 3	Athletic Laundry Formulas .....	7
Table 4	Correctional Laundry Formulas .....	7
Table 5	Hotel-Motel Laundry Formulas .....	7
Table 6	Healthcare Laundry Formulas .....	7
Table 7	Restaurant Laundry Formulas .....	8
Table 8	Shirt Laundry Formulas .....	8
Table 9	Commercial Laundry Formulas .....	8
Table 10	Offshore Laundry Formulas .....	9
Table 11	Gear Guardian Formulas .....	9
Table 12	Sample Laundry Partial Formula: Example Only .....	10
Table 13	Codes for Inject Times of 100 Seconds and Longer .....	12
Table 14	Athletic Formula 01: Standard Wash .....	16
Table 15	Athletic Formula 02: Towels .....	16
Table 16	Athletic Formula 03: Athletic Uniforms .....	17
Table 17	Athletic Formula 04: Socks and T-shirts .....	17
Table 18	Athletic Formula 05: Floor Mops .....	17
Table 19	Athletic Formula 06: Light Soil .....	18
Table 20	Athletic Formula 07: Cold Wash .....	18
Table 21	Athletic Formula 08: Multi-Flush .....	18
Table 22	Athletic Formula 09: Stain Soak .....	19
Table 23	Athletic Formula 10: Quick Wash .....	19
Table 24	Correctional Laundry Formula 01: Standard Wash .....	19
Table 25	Correctional Laundry Formula 02: Personal Clothing (White) .....	20
Table 26	Correctional Laundry Formula 03: Bed Linen/Towels .....	20
Table 27	Correctional Laundry Formula 04: Uniforms .....	21
Table 28	Correctional Laundry Formula 05: Blankets .....	21
Table 29	Correctional Laundry Formula 06: Personal Clothing (Color) .....	21
Table 30	Correctional Laundry Formula 07: Infirmary .....	22
Table 31	Correctional Laundry Formula 08: Food Service/Aprons/Wipes/Mops .....	22
Table 32	Correctional Laundry Formula 09: Stain Soak .....	22
Table 33	Correctional Laundry Formula 10: Quick Wash .....	23
Table 34	Hotel-Motel Formula 01: Standard Wash .....	23
Table 35	Hotel-Motel Formula 02: Sheets .....	24
Table 36	Hotel-Motel Formula 03: Pillowcases .....	24
Table 37	Hotel-Motel Formula 04: Towels and Uniforms .....	24
Table 38	Hotel-Motel Formula 05: Bedspreads and Blankets .....	25
Table 39	Hotel-Motel Formula 06: Colored Table Linens .....	25
Table 40	Hotel-Motel Formula 07: White Table Linens and Kitchen .....	25
Table 41	Hotel-Motel Formula 08: Multi-Flush .....	26
Table 42	Hotel-Motel Formula 09: Stain Soak .....	26
Table 43	Hotel-Motel Formula 10: Quick Wash .....	26
Table 44	Healthcare Formula 01: Standard Wash .....	27
Table 45	Healthcare Formula 02: Sheets .....	27
Table 46	Healthcare Formula 03: Pillowcases .....	28

Table 47	Healthcare Formula 04: Towels and Personal Work .....	28
Table 48	Healthcare Formula 05: Pads and Diapers .....	28
Table 49	Healthcare Formula 06: Sheepskins and Cubicle Curtains .....	29
Table 50	Healthcare Formula 07: White Table Linens and Kitchen .....	29
Table 51	Healthcare Formula 08: Multi-Flush .....	30
Table 52	Healthcare Formula 09: Stain Soak .....	30
Table 53	Healthcare Formula 10: Quick Wash .....	30
Table 54	Restaurant Formula 01: Standard Wash .....	31
Table 55	Restaurant Formula 02: Colored Table Linen .....	31
Table 56	Restaurant Formula 03: Table Linen and Aprons .....	32
Table 57	Restaurant Formula 04: Wipes .....	32
Table 58	Restaurant Formula 05: Stain Treatment .....	32
Table 59	Restaurant Formula 06: Hand Towels and Uniforms .....	33
Table 60	Restaurant Formula 07: Floor Mops .....	33
Table 61	Restaurant Formula 08: Multi-Flush .....	34
Table 62	Restaurant Formula 09: Stain Soak .....	34
Table 63	Restaurant Formula 10: Quick Wash .....	34
Table 64	Shirt Laundry Formula 01: Starch/Extract Only .....	35
Table 65	Shirt Laundry Formula 02: White (Starch) .....	35
Table 66	Shirt Laundry Formula 03: Colored (Starch) .....	36
Table 67	Shirt Laundry Formula 04: White (No Starch) .....	36
Table 68	Shirt Laundry Formula 05: Colored (No Starch) .....	36
Table 69	Shirt Laundry Formula 06: Delicates .....	37
Table 70	Shirt Laundry Formula 07: Stain Treatment .....	37
Table 71	Shirt Laundry Formula 08: Oxygen Bleach .....	38
Table 72	Shirt Laundry Formula 09: Stain Soak .....	38
Table 73	Shirt Laundry Formula 10: Extract .....	38
Table 74	Commercial Laundry Formula 01: Standard Wash .....	39
Table 75	Commercial Laundry Formula 02: Light Soil—White .....	39
Table 76	Commercial Laundry Formula 03: Light Soil—Colored .....	39
Table 77	Commercial Laundry Formula 04: Medium Soil—White .....	40
Table 78	Commercial Laundry Formula 05: Medium Soil—Colored .....	40
Table 79	Commercial Laundry Formula 06: Heavy Soil—White .....	41
Table 80	Commercial Laundry Formula 07: Heavy Soil—Colored .....	41
Table 81	Commercial Laundry Formula 08: Multi-Flush .....	41
Table 82	Commercial Laundry Formula 09: Stain Soak .....	42
Table 83	Commercial Laundry Formula 10: Quick Wash .....	42
Table 84	Offshore Laundry Formula 01: Standard Wash .....	43
Table 85	Offshore Laundry Formula 02: Personal Work .....	43
Table 86	Offshore Laundry Formula 03: Work Clothes—Heavy Soil .....	43
Table 87	Offshore Laundry Formula 04: Bed/Bath Linen .....	44
Table 88	Offshore Laundry Formula 05: Wipes/Kitchen .....	44
Table 89	Offshore Laundry Formula 06: Floor Mops .....	45
Table 90	Offshore Laundry Formula 07: Greasy Rags .....	45
Table 91	Offshore Laundry Formula 08: Multi-Flush .....	45
Table 92	Offshore Laundry Formula 09: Stain Soak .....	46
Table 93	Offshore Laundry Formula 10: Quick Wash .....	46

Table 94	Formula 01–Light Soil Turnouts .....	47
Table 95	Formula 02–Heavy Soil Turnouts .....	47
Table 96	Formula 03–Light Soil Moisture Barriers .....	48
Table 97	Formula 04–Heavy Soil Moisture Barriers .....	48
Table 98	Formula 05–Oil-contaminated Gear .....	48
Table 99	Formula 06–Brush Gear .....	49
Table 100	Formula 07–Hoods and Suspenders .....	49
Table 101	Formula 08–Truck Towels .....	50
Table 102	Formula 09–Stationwear .....	50
Table 103	Formula 10–Linens .....	50

# 1 Overview of Wash Formulas

BNWCUD01 / 2018315

BNWCUD01 0000197881 A.4 1/2/20, 2:19 PM Released

## 1.1 About This Manual

BNWCUD01.C01 0000197880 C.2 A.4 1/2/20, 2:19 PM Released

### 1.1.1 Scope

BNWCUD01.C02 0000197879 C.2 A.4 1/2/20, 2:19 PM Released

This manual documents the default formulas provided in Milnor® washer extractors equipped with the Milnor E-P Plus® microprocessor control. See the reference manual for operating, programming, and troubleshooting instructions. See the installation manual for information on machine installation procedures and mechanical requirements. See the service manual for preventive maintenance, service procedures, and mechanical parts identification. See the schematic manual for electrical parts identification and electrical troubleshooting instructions.

### 1.1.2 The Normal Display at Start-up

BNWCUD01.C03 0000197878 C.2 A.4 1/2/20, 2:19 PM Released

The start-up display sequence for models using the E-P Plus controller is described in the related section in document BNCJHO01.

### 1.1.3 If this Manual Does Not Have the Necessary Data

BNUUUU03.C01 0000188801 C.2 A.4 B.4 1/2/20, 2:14 PM Released

This manual has the best data that was available when your machine was made. If you cannot find the necessary data:

- **Are you looking for data about a component not made by Milnor® but used on your machine—for example, a motor or a brake caliper?** We usually do not put the instructions of component manufacturers in Milnor® manuals. You can find some of these instructions in the part of the Milnor® website that gives maintenance data (<http://milnortechnicalsupport.force.com/pkbmilnor/>). You can also find instructions for many components on the manufacturers' websites.
- **Are you looking for data about a Milnor® component on your machine that this manual does not give?** If we get better data or more data after the manual is available, we will add it to a newer version of the manual. Speak with the Milnor® Customer Support group. They can give you newer instructions if they are available or help you if not.

### 1.1.4 Trademarks

BNUUUU02.R01 0000158093 C.2 A.4 F.2 7/20/23, 10:57 AM Released

These words are trademarks of Pellerin Milnor® Corporation and other entities:

**Table 1. Trademarks**

AutoSpot™	GreenFlex™	MilMetrix®	PulseFlow®
CBW®	GearTrace™	MilTouch™	RAM Command™
Drynet™	GreenTurn™	MilTouch-EX™	RecircONE®
E-P Express®	Hydro-cushion™	MilRAIL®	RinSave®
E-P OneTouch®	Mentor®	Miltrac™	SmoothCoil™
E-P Plus®	Mildata®	MilVision™	Staph Guard®
Gear Guardian®	Milnor®	PBW™	

BNCJUP06 / 2018315 BNCJUP06 0000197530 A.6 1/2/20, 1:16 PM Released

## 1.2 Summary of E-P Plus® Configurations and Formulas

BNCJUP06.C01 0000197529 C.2 A.6 1/2/20, 1:16 PM Released

### 1.2.1 Available Software Configurations

BNCJUP06.C02 0000197528 C.2 A.6 1/2/20, 1:16 PM Released

Washer-extractors with the E-P Plus controller are programmed at the factory to contain default formulas which are always available in the machine. These default formulas can be loaded into the machine's memory, modified, and deleted according to procedures described in the reference manual for this machine. However, a copy of the default formula set as prepared by the Milnor® factory is always retained and available for replacing the modified formulas if necessary.

Each E-P Plus machine can be configured for one of the industries listed in [Table 2: Software Configuration for Industries, page 6](#) . This configuration is accomplished by setting a DIP switch on the microprocessor controller to a specific setting for the desired industry. Complete detailed instructions for configuring your E-P Plus® washer-extractor can be found in the reference manual for your machine.

**Table 2. Software Configuration for Industries**

Available Industry Configurations	
Athletic Laundry	Shirt Laundry
Correctional Laundry	Commercial Laundry
Hotel-Motel Laundry	Offshore Laundry
Healthcare Laundry	Gear Guardian (fire department use)
Restaurant Laundry	

### 1.2.2 Formulas Available in Each Configuration

BNCJUP06.C03 0000197527 C.2 A.6 A.7 1/2/20, 1:16 PM Released

The tables below list the specific default formulas available in each industry configuration of the E-P Plus controller. Detailed descriptions of each formula, including step times and chemical injections, are elsewhere in this manual; see the table of contents.

**Table 3. Athletic Laundry Formulas**

<b>Formula Number</b>	<b>Application</b>	<b>Formula Number</b>	<b>Application</b>
1	Standard Wash	6	Light Soil
2	Towels	7	Cold Wash
3	Athletic Uniforms	8	Multi-flush
4	Socks and T-shirts	9	Stain Soak
5	Floor Mops	10	Quick Wash

**Table 4. Correctional Laundry Formulas**

<b>Formula Number</b>	<b>Application</b>	<b>Formula Number</b>	<b>Application</b>
1	Standard Wash	6	Personal Clothing (Color)
2	Personal Clothing (White)	7	Infirmary
3	Bed Linen/Towels	8	Food Service/Aprons/Wipes/Mops
4	Uniforms	9	Stain Soak
5	Blankets	10	Quick Wash

**Table 5. Hotel-Motel Laundry Formulas**

<b>Formula Number</b>	<b>Application</b>	<b>Formula Number</b>	<b>Application</b>
1	Standard Wash	6	Colored Table Linens
2	Sheets	7	White Table Linens and Kitchen Articles
3	Pillowcases	8	Multi-flush
4	Towels and Uniforms	9	Stain Soak
5	Bedspreads and Blankets	10	Quick Wash

**Table 6. Healthcare Laundry Formulas**

<b>Formula Number</b>	<b>Application</b>	<b>Formula Number</b>	<b>Application</b>
1	Standard Wash	6	Sheepskins and Cubicle Curtains
2	Sheets	7	White Table Linens and Kitchen Articles
3	Pillowcases	8	Multi-flush
4	Towels and Personal Work	9	Stain Soak
5	Pads and Diapers	10	Quick Wash
1	Standard Wash	6	Sheepskins
2	Sheets	7	White Table Linens
3	Pillowcases	8	Multi-flush
4	Towels and Personal Goods	9	Stain Treatment
5	Pads and Diapers	10	Quick Wash

**Table 7. Restaurant Laundry Formulas**

Formula Number	Application	Formula Number	Application
1	Standard Wash	6	Hand Towels and Uniforms
2	Colored Table Linens	7	Floor Mops
3	Table Linen and Aprons	8	Multi-flush
4	Wipes	9	Stain Soak
5	Stain Treatment	10	Quick Wash
1	Standard Wash	6	Hand Towels and Uniforms
2	Colored Table Linen	7	Floor Mops
3	White Table Linen	8	Multi-flush
4	Wipes	9	Stain Treatment
5	100% Polyester Table Linen	10	Quick Wash

**Table 8. Shirt Laundry Formulas**

Formula Number	Application	Formula Number	Application
1	Starch/Extract Only	6	Delicates
2	White (Starch)	7	Stain Treatment
3	Colored (Starch)	8	Oxygen Bleach
4	White (No Starch)	9	Stain Soak
5	Colored (No Starch)	10	Extract
1	Starch and Extract	6	Split Wash—No Starch
2	Starched Goods—White	7	Cold Wash—No Starch
3	Starched Goods—Colored	8	Delicates
4	Cold Wash—Starched Goods	9	Stain Treatment
5	Hot Wash—No Starch	10	Extract

**Table 9. Commercial Laundry Formulas**

Formula Number	Application	Formula Number	Application
1	Standard Wash	6	Heavy Soil (White)
2	Light Soil (White)	7	Heavy Soil (Colored)
3	Light Soil (Colored)	8	Multi-flush
4	Medium Soil (White)	9	Stain Soak
5	Medium Soil (Colored)	10	Quick Wash
1	Standard Wash	6	Heavy Soil (White)
2	Light Soil (White)	7	Heavy Soil (Colored)
3	Light Soil (Colored)	8	Multi-flush
4	Medium Soil (White)	9	Stain Treatment
5	Medium Soil (Colored)	10	Bedspreads and Blankets

**Table 10. Offshore Laundry Formulas**

Formula Number	Application	Formula Number	Application
1	Standard Wash	6	Floor Mops
2	Personal Work	7	Greasy Rags
3	Work Clothes—Heavy Soil	8	Multi-Flush
4	Bed/Bath Linen	9	Stain Soak
5	Wipes/Kitchen	10	Quick Wash
1	Standard Wash	6	Colored Table Linen
2	Personal Work	7	Greasy Rags
3	Work Clothes—No Bleach	8	Multi-flush
4	Bed/Bath Linen	9	Stain Treatment
5	Kitchen Wipes and Mops	10	Quick Wash

**Table 11. Gear Guardian Formulas**

Formula Number	Application	Formula Number	Application
1	Light Soil Turnouts	6	Brush Gear
2	Heavy Soil Turnouts	7	Hoods and Suspenders
3	Moisture Barriers	8	Truck Towels
4	Breathable Vapor Barriers	9	Stationwear
5	Oil-contaminated Gear	10	Sheets and Pillowcases

BNCJUP07 / 2025292

BNCJUP07 0000197877

7/14/25, 1:14 PM

Released

## 1.3 How to Use the E-P Plus® Formula Tables

BNCJUP07.C01 0000197876 C.2 B.3 1/2/20, 1:16 PM Released

Each standard E-P Plus formula is described in tabular form in this manual. Formulas are made up of steps, which are programmed through a series of decisions. In the formula tables in this manual, each step decision is represented by a column, and each step is described by one row of the table.

Part of a typical formula chart is shown in [Table 12: Sample Laundry Partial Formula: Example Only, page 10](#) below, and a brief description of each step decision follows the table. For more complete explanations of each decision, see the appropriate section in the reference manual for your machine.

### 1.3.1 Sample Formula Table

BNCJUP07.C02 0000197875 C.2 B.3 1/2/20, 1:16 PM Released

Table 12. Sample Laundry Partial Formula: Example Only

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	6	0	0	0	0	1	0		1		1	0	4	0	0	1	0			
2	2	0	2	0	0	0	0	1	0		2		0					1	0			
3	4	0	1	0																		

### 1.3.2 Definitions of Step Decision Symbols

BNCJUP07.C03 0000198006 C.2 A.6 1/2/20, 1:16 PM Released

#### 1.3.2.1 T = Type of Step

BNCJUP07.C04 0000198005 C.2 A.6 1/2/20, 1:16 PM Released

- 0 = End Formula** always the **last step** in a formula; signifies that there are no further steps and prompts programmer for step decision **E = How to End Formula**
- 1 = One-way Wash** basket rotates in **one direction only** throughout this step; used for small goods
- 2 = Two-way Wash** basket **reverses** rotation periodically throughout this step; used for goods which might tangle
- 3 = Soak Wash** basket is **stationary** throughout this step; drastically reduces mechanical action
- 4 = Intermediate Extract** the **slowest extract** speed; usually used between bath steps
- 5 = Intermediate or Final Extract** depending on machine model, this step type may be either a **faster intermediate extract** or a **final extract**, as is used at the end of a formula. This type of step is not available on TxJ models.
- 6 = Final Extract** only available on models with three extract speeds, this is the step type usually used to **eliminate the maximum amount of water** from the goods. This type of step is not available on TxJ models.

#### 1.3.2.2 MMQ = Step Duration

BNCJUP07.C05 0000198004 C.2 A.6 1/2/20, 1:16 PM Released

Enter the duration of the step in minutes, minutes, and quarter-minutes.

- 001** step duration of 15 seconds (**minimum** allowable step duration)
- 072** step duration of 7:30 (7 minutes and 2 quarter-minutes)
- 633** step duration of 63:45 (**maximum** allowable step duration)



**NOTE:** The total time for a wash formula will be greater than the sum of the individual step times because of drain times and coast times, which vary among machine models.

#### 1.3.2.3 FFF or CCC = Commanded Bath Temperature (Optional)

BNCJUP07.C06 0000198003 C.2 A.6 1/2/20, 1:16 PM Released

This decision is available only if the machine is equipped with and configured for optional temperature control.

**FFF or CCC** **commanded temperature** in degrees Fahrenheit or Celsius; depends on how machine is configured

**050°F/010°C** **minimum** temperature in any bath

**205°F/095°C** **maximum** temperature in any bath

### 1.3.2.4 H = Hot Water Valve

BNCJUP07.C07 0000198002 C.2 A.6 1/2/20, 1:16 PM Released

- 0 hot water valve **off**
- 1 hot water valve **on**
- 2 hot water valve **on to raise temperature** of filling water
- 3 response not allowed

### 1.3.2.5 C = Cold Water Valve

BNCJUP07.C08 0000198001 C.2 A.6 1/2/20, 1:16 PM Released

- 0 cold water valve **off**
- 1 cold water valve **on**
- 2 response not allowed
- 3 cold water valve **on to lower temperature** of filling water

### 1.3.2.6 3 = Third Water Valve (Optional)

BNCJUP07.C09 0000198000 C.2 A.6 1/2/20, 1:16 PM Released

This decision is available only if the machine is equipped with and configured for optional third water valve.

- 0 third water valve **off**
- 1 third water valve **on**
- 2 third water valve **on to raise temperature** of filling water
- 3 third water valve **on to lower temperature** of filling water

### 1.3.2.7 L = Bath Level

BNCJUP07.C10 0000197999 B.2 C.2 7/14/25, 1:12 PM Released

- 1 **low** bath level
- 2 - 5 user-defined bath levels
- 6 **high** bath level

### 1.3.2.8 S = Steam (Optional)

BNCJUP07.C11 0000197998 C.2 A.6 1/2/20, 1:16 PM Released

This decision is available only if the machine is equipped with and configured for steam.

- 1 Start steaming **after** level is achieved, subsequent steaming **allowed**; timer **runs**.
- 2 Start steaming **after** level is achieved, subsequent steaming **not allowed**; timer **stops** until temperature is achieved.
- 3 Start steaming **after** level is achieved, subsequent steaming **allowed**; timer **stops** until temperature is achieved.
- 4 Start steaming **before** level is achieved, subsequent steaming **allowed**; timer **runs**.
- 5 Start steaming **before** level is achieved, subsequent steaming **not allowed**; timer **stops** until temperature is achieved.

- 6 Start steaming **before** level is achieved, subsequent steaming **allowed**; timer **stops** until temperature is achieved.

### 1.3.2.9 C = Chemicals

BNCJUP07.C12 0000197997 C.2 A.6 1/2/20, 1:16 PM Released

There may be more than one chemical decision per step because multiple chemicals may be added to a single bath. The maximum number of chemicals that may be injected per bath may be either two or five, depending on machine model and software version.

If the chemical numbers and names shown below do not correspond to how your machine is set up, do not use the default formulas without first testing and modifying the chemical injection values.

- 0 no chemical injection commanded
- 1 inject chemical 1, usually **alkali** for QxJ and 36-inch or larger VxJ models; **detergent** for other models
- 2 inject chemical 2, usually **detergent** for QxJ and 36-inch or larger VxJ models; **bleach** for other models
- 3 inject chemical 3, usually **bleach** for QxJ and 36-inch or larger VxJ models; **sour** for other models
- 4 inject chemical 4, usually **softener** for all models
- 5 inject chemical 5, usually **starch** for all models; also used to signal that a ChemSave machine desires to inject chemical

### 1.3.2.10 W = When to Inject Chemicals

BNCJUP07.C13 0000198322 C.2 A.6 1/2/20, 1:16 PM Released

At what point in the step is this chemical to be injected?

- 0 Begin injecting the chemical **when the water valves open**.
- 1 Begin injecting the chemical when the commanded **bath level is achieved**.
- 2 Begin injecting the chemical when the commanded **bath level and temperature are achieved**. This option is available only with steam codes of 2, 3, 5, or 6 programmed

### 1.3.2.11 SS = Chemical Injection Duration

BNCJUP07.C14 0000198321 C.2 A.6 1/2/20, 1:16 PM Released

How long should the chemical injection continue?

- 00 0 seconds; chemical injection prohibited
- 40 40 seconds; default value
- B9 119 seconds ([Table 13: Codes for Inject Times of 100 Seconds and Longer, page 12](#) )
- Q5 255 seconds; maximum value

**Table 13. Codes for Inject Times of 100 Seconds and Longer**

Alphabetic Code	Value	Alphabetic Code	Value	Alphabetic Code	Value	Alphabetic Code	Value
A	100	E	140	I	180	M	220
B	110	F	150	J	190	N	230

Table 13 Codes for Inject Times of 100 Seconds and Longer (cont'd.)

Alphabetic Code	Value	Alphabetic Code	Value	Alphabetic Code	Value	Alphabetic Code	Value
C	120	G	160	K	200	O	240
D	130	H	170	L	210	P	250

### 1.3.2.12 \* = Signal with Chemical Injection

BNCJUP07.C15 0000198320 C.2 A.6 1/2/20, 1:16 PM Released

Should the machine operator be notified when this chemical injection is desired?

- 0 No. The chemical injection occurs automatically without operator notification or intervention.
- 1 Yes. The machine will signal the operator when this chemical injection is desired. The operator must cancel the signal by pressing  or  before the injection will occur.

### 1.3.2.13 SPD = Wash Speed

BNCJUP07.C16 0000198319 C.2 A.6 1/2/20, 1:16 PM Released

Should this step employ normal wash speed or high wash speed?

- 0 This is wash speed 2. This **higher wash speed** decreases mechanical action by reducing the distance the goods are dropped.
- 1 This is wash speed 1, the **normal wash speed**. This speed is the default value for factory-supplied formulas and new bath steps.

### 1.3.2.14 D = Drain Action

BNCJUP07.C17 0000198318 C.2 A.6 1/2/20, 1:16 PM Released

What type of drain action is desired for this step?

- 0 **Standard drain speed**; cylinder turns clockwise at drain/distribution speed.
- 1 **Two-way wash speed**; cylinder reverses at wash speed for additional mechanical action during draining.
- 2 **Do not drain**; bath liquor is retained, as for the injection of additional chemicals or for baths longer than the control will allow in a single step.
- 3 **Stop with fill**. The cylinder does not turn while filling prior to this drain, but turns at standard drain speed during draining.
- 4 **Stop with drain**. The cylinder does not turn during draining.
- 5 **Stop with fill and drain**. The cylinder is held stationary during both fill and drain.
- 6 **RinSave®** The cylinder turns clockwise at approximately 1G with the drain closed for a fixed time. At the end of that time, the drain opens. After a fixed time at drain/distribution speed with the drain open, the cylinder accelerates to RinSave speed. **This drain action is available only on machines with RinSave software; this drain action is replaced by the standard drain speed on other machines.**

### 1.3.2.15 R = Drain Destination (Optional)

BNCJUP07.C18 0000198317 C.2 A.6 1/2/20, 1:16 PM Released

- 0 Drain this bath to the **sewer**.
- 1 If machine is equipped with an optional second drain, this selection allows draining this bath to an **optional reuse tank**.

### 1.3.2.16 E = How to End Formula

BNCJUP07.C19 0000198316 C.2 A.6 1/2/20, 1:16 PM Released

How should this formula end?

- 0 Stop and require operator to cancel signal
- 1 Reversing at wash speed and require operator to end formula
- 2 Rotating at wash speed and require the operator to end the formula
- 3 Tumble at wash speed for two minutes, then sound signal
- 4 Stop and sound operator signal for two minutes, then shut off; available only with software dated 9B005 or later.
- 5 Reverse at wash speed with signal sounding for two minutes, then shut off; available only with software dated 9B005 or later.
- 6 Rotate at drain speed for two minutes with signal, then shut off; available only with software dated 9B005 or later.
- 7 Tumble for two minutes, then tumble with signal for two minutes, then shut off; available only with software dated 9B005 or later.



# 2 Wash Formulas

## 2.1 RinSave® Athletic Laundry Formulas

**Table 14. Athletic Formula 01: Standard Wash**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	6	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
													2	1	4	0	0					
2	2	0	1	0	0	0	0	1	1		6		0					1	0			No
3	4	0	1	0																		No
4	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
5	5	0	6	0																	0	No
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
6	0																					

**Table 15. Athletic Formula 02: Towels**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	4	0	1	0																		No
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
6	5	0	8	0																	0	No
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
7	0																					

Table 16. Athletic Formula 03: Athletic Uniforms

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0	1	1		1	1	4	0	0	1	0			Yes
2	2	0	2	0	0	0	0	1	1	0	6		0					1	0			No
3	2	0	7	0	0	0	0	1	0	1	1		1	1	4	0	0	1	6			Yes
4	2	0	2	0	0	0	0	0	1	0	6		0					1	0			No
5	2	0	4	0	0	0	0	0	0	1	1		3	1	4	0	0	1	0			Yes
6	5	0	4	0				0	0	0											0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
7	0																					

Table 17. Athletic Formula 04: Socks and T-shirts

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	5	0	0	0	0	1	0		1		0					1	0			No
3	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
4	2	0	2	0	0	0	0	1	1		6		0					1	0			No
5	4	0	1	0																		No
6	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
7	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
8	0																					

Table 18. Athletic Formula 05: Floor Mops

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No
2	2	0	2	0	0	0	0	1	0		6		0					1	0			No
3	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
4	2	0	2	0	0	0	0	1	1		6		0					1	0			No
5	4	0	1	0																		No
6	2	0	2	0	0	0	0	0	1		6	0	0					1	0			No
7	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
8	0																					

**Table 19. Athletic Formula 06: Light Soil**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
2	2	0	2	0	0	0	0	1	1		6		0					1	0			No
3	4	0	1	0																		No
4	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
5	5	0	6	0									4	1	4	0	0				0	No
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
6	0																					

**Table 20. Athletic Formula 07: Cold Wash**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	2	0	0	0	0	0	1	0	6		0					1	0			No
2	2	0	7	0	0	0	0	0	0	1	1		1	1	4	0	0	1	6			Yes
3	2	0	2	0	0	0	0	0	1	0	6		0					1	0			No
4	5	0	3	0																	0	No
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
5	0																					

**Table 21. Athletic Formula 08: Multi-Flush**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No
2	2	0	2	0	0	0	0	1	1		6		0					1	0			No
3	2	0	2	0	0	0	0	1	0		6		0					1	0			No
4	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
5	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
6	2	0	2	0	0	0	0	1	1		6		0					1	0			No
7	4	0	1	0																		No
8	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
9	5	0	6	0									4	1	4	0	0				0	No
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
10	0																					

Table 22. Athletic Formula 09: Stain Soak

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	0	1	0	0	0	1	1		1		0					1	2			No
2	3	2	5	0	0	0	0	1	1		1		0					1	6			No
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	4	0	1	0																		No
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
6	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
7	0																					

Table 23. Athletic Formula 10: Quick Wash

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	5	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
													2	1	4	0	0					
2	2	0	1	0	0	0	0	1	1		6		0					1	0			No
3	4	0	1	0																		No
4	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
5	5	0	5	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
6	0																					

BNCJUP09 / 2025286

BNCJUP09 0000198986 C.2 7/11/25, 1:59 PM Released

## 2.2 RinSave® Correctional Laundry Formulas

BNCJUP09.C01 0000198985 B.2 C.2 B.3 5/29/25, 3:28 PM Released

Table 24. Correctional Laundry Formula 01: Standard Wash

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	6	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
													2	1	4	0	0					
2	2	0	1	0	0	0	0	1	1		6		0					1	0			No
3	4	0	1	0																		No
4	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes

**Table 24 Correctional Laundry Formula 01: Standard Wash (cont'd.)**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
													4	1	4	0	0						
5	5	0	6	0																	0	No	
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
6	0																						

**Table 25. Correctional Laundry Formula 02: Personal Clothing (White)**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	8	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes	
													2	1	4	0	0						
2	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
3	4	0	1	0																		No	
4	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes	
													4	1	4	0	0						
5	5	0	6	0																	0	No	
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
6	0																						

**Table 26. Correctional Laundry Formula 03: Bed Linen/Towels**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes	
2	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes	
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
4	4	0	1	0																		No	
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes	
													4	1	4	0	0						
6	5	0	6	0																	0	No	
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
7	0																						

Table 27. Correctional Laundry Formula 04: Uniforms

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	4	0	1	0																		No
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
6	5	0	8	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
7	0																					

Table 28. Correctional Laundry Formula 05: Blankets

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	8	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
2	2	0	2	0	0	0	0	1	1		6		0					1	0			No
3	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
4	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
5	0																					

Table 29. Correctional Laundry Formula 06: Personal Clothing (Color)

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No
2	2	1	0	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	2	0	7	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													5	1	4	0	0					
5	5	0	3	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
6	0																					

**Table 30. Correctional Laundry Formula 07: Infirmary**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
2	2	1	0	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes	
3	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes	
4	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
5	4	0	1	0																		No	
6	2	0	7	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													5	1	4	0	0						
7	5	0	3	0																		0	No
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																							
8	0																						

**Table 31. Correctional Laundry Formula 08: Food Service/Aprons/Wipes/Mops**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
2	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
3	2	0	2	0	0	0	0	1	0		6		0					1	0			No	
4	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes	
5	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes	
6	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
7	4	0	1	0																		No	
8	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													4	1	4	0	0						
9	5	0	6	0																		0	No
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																							
10	0																						

**Table 32. Correctional Laundry Formula 09: Stain Soak**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	0	1	0	0	0	1	1		1		0					1	2			No
2	2	2	5	0	0	0	0	1	1		1		0					1	6			No
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	4	0	1	0																		No
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes

**Table 32 Correctional Laundry Formula 09: Stain Soak (cont'd.)**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
													4	1	4	0	0						
6	5	0	6	0																		0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
7	0																						

**Table 33. Correctional Laundry Formula 10: Quick Wash**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	5	0	0	0	0	1	0		1		1	1	4	0	0	1	6				Yes
													2	1	4	0	0						
2	2	0	1	0	0	0	0	1	1		6							1	0				No
3	4	0	1	0																			No
4	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													4	1	4	0	0						
5	5	0	5	0																		0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
6	0																						

BNCJUP10 / 2025286

BNCJUP10 0000199762 C.2 7/11/25, 2:01 PM Released

## 2.3 RinSave® Hotel-Motel Laundry Formulas

BNCJUP10.C01 0000199763 B.2 C.2 B.3 5/29/25, 3:32 PM Released

**Table 34. Hotel-Motel Formula 01: Standard Wash**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	6	0	0	0	0	1	0		1		1	1	4	0	0	1	6				Yes
													2	1	4	0	0						
2	2	0	1	0	0	0	0	1	1		6							1	0				No
3	4	0	1	0																			No
4	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													4	1	4	0	0						
5	5	0	6	0																		0	No
6	0																						No

**Table 35. Hotel-Motel Formula 02: Sheets**

<b>Decision</b>																						
<b>Step Number</b>	<b>T</b>	<b>M</b>	<b>M</b>	<b>Q</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>H</b>	<b>C</b>	<b>3</b>	<b>L</b>	<b>S</b>	<b>C</b>	<b>W</b>	<b>S</b>	<b>S</b>	<b>*</b>	<b>SPD</b>	<b>D</b>	<b>R</b>	<b>E</b>	<b>Chem. Dose</b>
<b>1</b>	2	0	8	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
<b>2</b>	2	0	2	0	0	0	0	1	1		6		0					1	0			No
<b>3</b>	4	0	1	0																		No
<b>4</b>	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
<b>5</b>	5	0	6	0									4	1	4	0	0				0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
<b>6</b>	0																					

**Table 36. Hotel-Motel Formula 03: Pillowcases**

<b>Decision</b>																						
<b>Step Number</b>	<b>T</b>	<b>M</b>	<b>M</b>	<b>Q</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>H</b>	<b>C</b>	<b>3</b>	<b>L</b>	<b>S</b>	<b>C</b>	<b>W</b>	<b>S</b>	<b>S</b>	<b>*</b>	<b>SPD</b>	<b>D</b>	<b>R</b>	<b>E</b>	<b>Chem. Dose</b>
<b>1</b>	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
<b>2</b>	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
<b>3</b>	2	0	2	0	0	0	0	1	1		6							1	0			No
<b>4</b>	4	0	1	0																		No
<b>5</b>	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
<b>6</b>	5	0	6	0									4	1	4	0	0				0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
<b>7</b>	0																					

**Table 37. Hotel-Motel Formula 04: Towels and Uniforms**

<b>Decision</b>																						
<b>Step Number</b>	<b>T</b>	<b>M</b>	<b>M</b>	<b>Q</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>H</b>	<b>C</b>	<b>3</b>	<b>L</b>	<b>S</b>	<b>C</b>	<b>W</b>	<b>S</b>	<b>S</b>	<b>*</b>	<b>SPD</b>	<b>D</b>	<b>R</b>	<b>E</b>	<b>Chem. Dose</b>
<b>1</b>	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
<b>2</b>	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
<b>3</b>	2	0	2	0	0	0	0	1	1		6		0					1	0			No
<b>4</b>	4	0	1	0																		No
<b>5</b>	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
<b>6</b>	5	0	8	0									4	1	4	0	0				0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
<b>7</b>	0																					

**Table 38. Hotel-Motel Formula 05: Bedspreads and Blankets**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	8	0	0	0	0	1	0	1	1		1	1	4	0	0	1	6			Yes
2	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
3	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
4	0																					

**Table 39. Hotel-Motel Formula 06: Colored Table Linens**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No
2	2	1	0	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	2	0	7	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
5	5	0	3	0									5	1	4	0	0				0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
6	0																					

**Table 40. Hotel-Motel Formula 07: White Table Linens and Kitchen**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No
2	2	1	0	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
3	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
4	2	0	2	0	0	0	0	1	1		6		0					1	0			No
5	4	0	1	0																		No
6	2	0	7	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
7	5	0	3	0									5	1	4	0	0				0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
8	0																					

**Table 41. Hotel-Motel Formula 08: Multi-Flush**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
2	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
3	2	0	2	0	0	0	0	1	0		6		0					1	0			No	
4	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes	
5	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes	
6	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
7	4	0	1	0																		No	
8	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													4	1	4	0	0						
9	5	0	6	0																	0	No	
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																							
10	0																						

**Table 42. Hotel-Motel Formula 09: Stain Soak**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	0	1	0	0	0	1	1		1		0					1	2			No	
2	3	2	5	0	0	0	0	1	1		1		0					1	6			No	
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
4	4	0	1	0																		No	
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes	
													4	1	4	0	0						
6	5	0	6	0																	0	No	
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																							
7	0																						

**Table 43. Hotel-Motel Formula 10: Quick Wash**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	5	0	0	0	0	1	0		1		1	1	4	0	0	1	6				Yes
													2	1	4	0	0						
2	2	0	1	0	0	0	0	1	1		6		0					1	0			No	
3	4	0	1	0																		No	
4	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													4	1	4	0	0						
5	5	0	5	0																	0	No	

Table 43 Hotel-Motel Formula 10: Quick Wash (cont'd.)

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
6	0																					

BNCJUP11 / 2025286

BNCJUP11 0000199848 C.2 7/11/25, 2:02 PM Released

## 2.4 RinSave® Healthcare Laundry Formulas

BNCJUP11.C01 0000199847 B.2 C.2 B.4 5/29/25, 3:34 PM Released

Table 44. Healthcare Formula 01: Standard Wash

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	6	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
													2	1	4	0	0					
2	2	0	1	0	0	0	0	1	1		6		0					1	0			No
3	4	0	1	0																		No
4	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
5	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
6	0																					

Table 45. Healthcare Formula 02: Sheets

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No
2	2	0	8	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
													2	1	4	0	0					
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	4	0	1	0																		No
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
6	5	0	6	0																		No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."5																					
7	0																					

**Table 46. Healthcare Formula 03: Pillowcases**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
2	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes	
3	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes	
4	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
5	4	0	1	0																		No	
6	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			0	Yes
													4	1	4	0	0						
7	5	0	6	0																		No	
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																							
8	0																						

**Table 47. Healthcare Formula 04: Towels and Personal Work**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	2	0	0	0	0	1	1		1		0					1	0			No
2	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
5	2	0	2	0	0	0	0	1	1		6		0					1	0			No
6	4	0	1	0																		No
7	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
8	5	0	8	0																	0	No
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
9	0																					

**Table 48. Healthcare Formula 05: Pads and Diapers**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No
2	2	0	2	0	0	0	0	1	1		6		0					1	0			No
3	2	0	8	0		0	0	1	0		1		1	1	4	0	0	1	0			Yes
4	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
5	2	0	2	0	0	0	0	1	1		6		0					1	0			No
6	4	0	1	0																		No
7	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes

**Table 48 Healthcare Formula 05: Pads and Diapers (cont'd.)**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
													4	1	4	0	0						
8	5	0	6	0																		0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
9	0																						

**Table 49. Healthcare Formula 06: Sheepskins and Cubicle Curtains**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	2	0	0	0	0	0	1		6		0					1	0				No
2	2	0	7	0	0	0	0	1	0	1	1		1	1	4	0	0	1	6				Yes
3	2	0	2	0	0	0	0	0	1		6		0					1	0				No
4	2	0	2	0	0	0	0	0	1		6		0					1	0				No
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													4	1	4	0	0						
6	5	0	3	0																		0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
7	0																						

**Table 50. Healthcare Formula 07: White Table Linens and Kitchen**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	2	0	0	0	0	1	1		6		0					1	0				No
2	2	0	2	0	0	0	0	1	0		6		0					1	0				No
3	2	1	2	0	0	0	0	1	0		1		1	1	4	0	0	1	0				Yes
4	2	0	2	0	0	0	0	1	0		6		0					1	0				No
5	2	1	2	0	0	0	0	1	0		1		2	1	4	0	0	1	6				Yes
6	2	0	2	0	0	0	0	1	1		6		0					1	0				No
7	4	0	1	0																			No
8	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													4	1	4	0	0						
9	5	0	3	0																		0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
10	0																						

**Table 51. Healthcare Formula 08: Multi-Flush**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
2	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
3	2	0	2	0	0	0	0	1	0		6		0					1	0			No	
4	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes	
5	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes	
6	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
7	4	0	1	0																		No	
8	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													4	1	4	0	0						
9	5	0	6	0																	0	No	
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																							
10	0																						

**Table 52. Healthcare Formula 09: Stain Soak**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	0	1	0	0	0	1	1		1		0					1	2			No	
2	3	2	5	0	0	0	0	1	1		1		0					1	6			No	
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
4	4	0	1	0																		No	
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													4	1	4	0	0						
6	5	0	6	0																	0	No	
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																							
7	0																						

**Table 53. Healthcare Formula 10: Quick Wash**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	5	0	0	0	0	1	0		1		1	1	4	0	0	1	6				Yes
													2	1	4	0	0						
2	2	0	1	0	0	0	0	1	1		6		0					1	0			No	
3	4	0	1	0																		No	
4	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													4	1	4	0	0						
5	5	0	5	0																	0	No	

**Table 53 Healthcare Formula 10: Quick Wash (cont'd.)**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
6	0																					

BNCJUP12 / 2025286

BNCJUP12 0000200034 C.2 7/11/25, 2:04 PM Released

## 2.5 RinSave® Restaurant Laundry Formulas

BNCJUP12.C01 0000200033 B.2 C.2 B.3 5/29/25, 3:37 PM Released

**Table 54. Restaurant Formula 01: Standard Wash**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	6	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
2	2	0	1	0	0	0	0	1	1		6		0					1	0			No
3	4	0	1	0																		No
4	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
5	5	0	6	0									4	1	4	0	0				0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
6	0																					

**Table 55. Restaurant Formula 02: Colored Table Linen**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No
2	2	1	0	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	2	0	7	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
5	5	0	3	0									5	1	4	0	0					No
6	5	0	1	2																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
7	0																					

**Table 56. Restaurant Formula 03: Table Linen and Aprons**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
2	2	0	9	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes	
3	2	0	8	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes	
4	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
5	4	0	1	0																		No	
6	2	0	7	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													5	1	4	0	0						
7	5	0	3	0																	0	No	
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																							
8	0																						

**Table 57. Restaurant Formula 04: Wipes**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No
2	2	0	2	0	0	0	0	1	0		6		0					1	0			No
3	2	0	8	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
4	2	0	6	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
5	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
6	2	0	2	0	0	0	0	1	1		6		0					1	0			No
7	4	0	1	0																		No
8	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
9	5	0	6	0																	0	No
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
10	0																					

**Table 58. Restaurant Formula 05: Stain Treatment**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	8	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	2	0	0	0	0	1	0		6		0					1	0			No
3	2	0	8	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
4	2	0	2	0	0	0	0	1	1		6		0					1	0			No
5	4	0	1	0																		No
6	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes

**Table 58 Restaurant Formula 05: Stain Treatment (cont'd.)**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
													4	1	4	0	0						
7	5	0	3	0																	0	No	
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
8	0																						

**Table 59. Restaurant Formula 06: Hand Towels and Uniforms**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0				Yes
2	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6				Yes
3	2	0	2	0	0	0	0	1	1		6		0					1	0				No
4	4	0	1	0																			No
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													4	1	4	0	0						
6	5	0	6	0																	0	No	
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
7	0																						

**Table 60. Restaurant Formula 07: Floor Mops**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	2	0	0	0	0	1	1		6		0					1	0				No
2	2	0	2	0	0	0	0	1	0		6		0					1	0				No
3	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	6				Yes
4	2	0	2	0	0	0	0	1	1		6		0					1	0				No
5	4	0	1	0																			No
6	2	0	2	0	0	0	0	0	1		6		0					1	0				No
7	5	0	6	0																	0	No	
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
8	0																						

**Table 61. Restaurant Formula 08: Multi-Flush**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
2	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
3	2	0	2	0	0	0	0	1	0		6		0					1	0			No	
4	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes	
5	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes	
6	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
7	4	0	1	0																		No	
8	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													4	1	4	0	0						
9	5	0	6	0																	0	No	
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																							
10	0																						

**Table 62. Restaurant Formula 09: Stain Soak**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	0	1	0	0	0	1	1		1		0					1	2			No	
2	3	2	5	0	0	0	0	1	1		1		0					1	6			No	
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
4	4	0	1	0																		No	
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													4	1	4	0	0						
6	5	0	6	0																	0	No	
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																							
7	0																						

**Table 63. Restaurant Formula 10: Quick Wash**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	5	0	0	0	0	1	0		1		1	1	4	0	0	1	6				Yes
													2	1	4	0	0						
2	2	0	1	0	0	0	0	1	1		6		0					1	0			No	
3	4	0	1	0																		No	
4	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0				Yes
													4	1	4	0	0						
5	5	0	5	0																	0	No	

**Table 63 Restaurant Formula 10: Quick Wash (cont'd.)**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
6	0																						

BNCJUP13 / 2025286

BNCJUP13 0000200086 C.2 7/11/25, 2:05 PM Released

## 2.6 RinSave® Shirt Laundry Formulas

BNCJUP13.C01 0000200085 B.2 C.2 B.3 5/29/25, 3:41 PM Released

**Table 64. Shirt Laundry Formula 01: Starch/Extract Only**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	0	0	1	1		5	1	4	0	0	1	0			Yes
2	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
3	0																					

**Table 65. Shirt Laundry Formula 02: White (Starch)**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	2	0	0	0	0	1	0		6		0					1	0			No
3	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
4	2	0	2	0	0	0	0	1	1		6		0					1	0			No
5	4	0	1	0																		No
6	2	0	7	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													5	1	4	0	0					
7	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
8	0																					

**Table 66. Shirt Laundry Formula 03: Colored (Starch)**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	1	2	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
2	2	0	2	0	0	0	0	1	1		6		0					1	0			No
3	4	0	1	0																		No
4	2	0	7	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													5	1	4	0	0					
5	5	0	6	0																	0	No
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
6	0																					

**Table 67. Shirt Laundry Formula 04: White (No Starch)**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	2	0	0	0	0	1	0		6		0					1	0			No
3	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
4	2	0	2	0	0	0	0	1	1		6		0					1	0			No
5	4	0	1	0																		No
6	2	0	7	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
7	5	0	6	0																	0	No
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
8	0																					

**Table 68. Shirt Laundry Formula 05: Colored (No Starch)**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	4	0	1	0																		No
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
6	5	0	6	0																	0	No

**Table 68 Shirt Laundry Formula 05: Colored (No Starch) (cont'd.)**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
7	0																						

**Table 69. Shirt Laundry Formula 06: Delicates**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No
2	2	0	5	0	0	0	0	1	0	1	6		1	1	4	0	0	1	6			Yes
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	2	0	2	0	0	0	0	0	1		6		0					1	0			No
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
6	5	0	3	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
7	0																					

**Table 70. Shirt Laundry Formula 07: Stain Treatment**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	1	0	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	2	0	0	0	0	1	0		6		0					1	0			No
3	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
4	2	0	2	0	0	0	0	1	0		6		0					1	0			No
5	2	0	2	0	0	0	0	1	0		6		2	1	4	0	0	1	0			Yes
6	4	0	1	0														0	0			No
7	2	0	2	0	0	0	0	1	1		6		0					1	0			No
8	4	0	1	0														0	0			No
9	2	0	4	0	0	0	0	0	1		6		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
10	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
11	0																					

**Table 71. Shirt Laundry Formula 08: Oxygen Bleach**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	1	3	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
2	2	0	2	0	0	0	0	1	1		6		0					1	0			No
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	2	0	2	0	0	0	0	0	1		6		0					1	0			No
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
6	5	0	6	0									4	1	4	0	0					No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
7	0																					

**Table 72. Shirt Laundry Formula 09: Stain Soak**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	0	1	0	0	0	1	1		1		0					1	2			No
2	3	2	5	0	0	0	0	1	1		1		0					1	6			No
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	4	0	1	0																		No
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
6	5	0	6	0									4	1	4	0	0					No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
7	0																					

**Table 73. Shirt Laundry Formula 10: Extract**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	1	0	0	0	0	1	1		6		0					1	0			No
2	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
3	0																					

BNCJUP14 / 2025286

BNCJUP14 0000200181 C.2 7/11/25, 2:06 PM Released

## 2.7 RinSave® Commercial Laundry Formulas

BNCJUP14.C01 0000200180 B.11 B.2 C.2 5/9/25, 5:21 PM Released

Table 74. Commercial Laundry Formula 01: Standard Wash

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	6	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
													2	1	4	0	0					
2	2	0	1	0	0	0	0	1	1		6		0					1	0			No
3	4	0	1	0																		No
4	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
5	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
6	0																					

Table 75. Commercial Laundry Formula 02: Light Soil—White

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	8	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
													2	1	4	0	0					
2	2	0	2	0	0	0	0	1	1		6		0					1	0			No
3	4	0	1	0																		No
4	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
5	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
6	0																					

Table 76. Commercial Laundry Formula 03: Light Soil—Colored

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	8	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
2	2	0	2	0	0	0	0	1	1		6		0					1	0			No
3	4	0	1	0																		No
4	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
5	5	0	3	0																	0	No

**Table 76 Commercial Laundry Formula 03: Light Soil—Colored (cont'd.)**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
6	0																					

**Table 77. Commercial Laundry Formula 04: Medium Soil—White**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	4	0	1	0																		No
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
6	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
7	0																					

**Table 78. Commercial Laundry Formula 05: Medium Soil—Colored**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
2	2	0	7	0	0	0	0	1	0		6		0					1	0			No
3	4	0	1	0																		No
4	2	0	2	0	0	0	0	1	1		6		0					1	0			No
5	4	0	1	0																		No
6	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
7	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
8	0																					

**Table 79. Commercial Laundry Formula 06: Heavy Soil—White**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	1	0	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	2	0	0	0	0	1	0		6		0					1	0			No
3	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
4	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
5	2	0	2	0	0	0	0	1	1		6		0					1	0			No
6	2	0	2	0	0	0	0	0	1		6		0					1	0			No
7	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
8	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
9	0																					

**Table 80. Commercial Laundry Formula 07: Heavy Soil—Colored**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	1	0	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	2	0	0	0	0	1	0		6		0					1	0			No
3	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
4	2	0	7	0	0	0	0	1	0		1		0					1	0			No
5	2	0	2	0	0	0	0	1	1		6		0					1	0			No
6	2	0	2	0	0	0	0	0	1		6		0					1	0			No
7	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
8	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
9	0																					

**Table 81. Commercial Laundry Formula 08: Multi-Flush**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No
2	2	0	2	0	0	0	0	1	1		6		0					1	0			No
3	2	0	2	0	0	0	0	1	0		6		0					1	0			No
4	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
5	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes

**Table 81 Commercial Laundry Formula 08: Multi-Flush (cont'd.)**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
6	2	0	2	0	0	0	0	1	1		6		0					1	0			No
7	4	0	1	0																		No
8	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
9	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
10	0																					

**Table 82. Commercial Laundry Formula 09: Stain Soak**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	0	1	0	0	0	1	1		1		0					1	2			No
2	3	2	5	0	0	0	0	1	1		1		0					1	6			No
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	4	0	1	0																		No
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
6	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
7	0																					

**Table 83. Commercial Laundry Formula 10: Quick Wash**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	5	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
													2	1	4	0	0					
2	2	0	1	0	0	0	0	1	1		6		0					1	0			No
3	4	0	1	0																		No
4	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
5	5	0	5	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
6	0																					

BNCJUP15 / 2025286

BNCJUP15 0000200276 C.2 7/11/25, 2:07 PM Released

## 2.8 RinSave® Offshore Laundry Formulas

BNCJUP15.C01 0000200275 B.2 C.2 5/29/25, 2:08 PM Released

Table 84. Offshore Laundry Formula 01: Standard Wash

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	6	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
													2	1	4	0	0					
2	2	0	1	0	0	0	0	1	1		6		0					1	0			No
3	4	0	1	0																		No
4	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
5	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
6	0																					

Table 85. Offshore Laundry Formula 02: Personal Work

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	4	0	1	0																		No
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
6	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
7	0																					

Table 86. Offshore Laundry Formula 03: Work Clothes—Heavy Soil

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	1	0	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	2	0	0	0	0	1	0		6		0					1	0			No
3	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
4	2	0	7	0	0	0	0	1	0		1		0					1	0			No
5	2	0	2	0	0	0	0	1	1		6		0					1	0			No
6	2	0	2	0	0	0	0	0	1		6		0					1	0			No

**Table 86 Offshore Laundry Formula 03: Work Clothes—Heavy Soil (cont'd.)**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
7	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
8	5	0	6	0									4	1	4	0	0				0	No
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
9	0																					

**Table 87. Offshore Laundry Formula 04: Bed/Bath Linen**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	2	0	0	0	0	1	0		6		0					1	0			No
3	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
4	2	0	2	0	0	0	0	1	1		6		0					1	0			No
5	4	0	1	0																		No
6	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
7	5	0	6	0									4	1	4	0	0				0	No
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
8	0																					

**Table 88. Offshore Laundry Formula 05: Wipes/Kitchen**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No
2	2	0	2	0	0	0	0	1	0		6		0					1	0			No
3	2	0	8	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
4	2	0	6	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
5	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
6	2	0	2	0	0	0	0	1	1		6		0					1	0			No
7	4	0	1	0																		No
8	2	0	3	0	0	0	0	0	0	1	1		3	1	4	0	0	1	0			Yes
9	5	0	6	0																	0	No
<b>Note:</b> Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
10	0																					

Table 89. Offshore Laundry Formula 06: Floor Mops

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No
4	4	0	1	0																		No
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes
													4	1	4	0	0					
6	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
7	0																					

Table 90. Offshore Laundry Formula 07: Greasy Rags

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	8	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
2	2	0	2	0	0	0	0	1	0		6		0					1	0			No
3	2	0	2	0	0	0	0	1	0		6		0					1	0			No
4	2	0	8	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes
5	2	0	2	0	0	0	0	1	1		6		0					1	0			No
6	4	0	1	0																		No
7	2	0	2	0	0	0	0	0	1		6		0					1	0			No
8	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
9	0																					

Table 91. Offshore Laundry Formula 08: Multi-Flush

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	2	0	0	0	0	1	1		6		0					1	0			No
2	2	0	2	0	0	0	0	1	1		6		0					1	0			No
3	2	0	2	0	0	0	0	1	0		6		0					1	0			No
4	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	0			Yes
5	2	0	7	0	0	0	0	1	0		1		2	1	4	0	0	1	6			Yes
6	2	0	2	0	0	0	0	1	1		6		0					1	0			No
7	4	0	1	0																		No
8	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes

**Table 91 Offshore Laundry Formula 08: Multi-Flush (cont'd.)**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
													4	1	4	0	0						
9	5	0	6	0																	0	No	
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
10	0																						

**Table 92. Offshore Laundry Formula 09: Stain Soak**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	0	1	0	0	0	1	1		1		0					1	2			No	
2	3	2	5	0	0	0	0	1	1		1		0					1	6			No	
3	2	0	2	0	0	0	0	1	1		6		0					1	0			No	
4	4	0	1	0																		No	
5	2	0	4	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes	
													4	1	4	0	0						
6	5	0	6	0																	0	No	
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
7	0																						

**Table 93. Offshore Laundry Formula 10: Quick Wash**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
1	2	0	5	0	0	0	0	1	0		1		1	1	4	0	0	1	6			Yes	
													2	1	4	0	0						
2	2	0	1	0	0	0	0	1	1		6		0					1	0			No	
3	4	0	1	0																		No	
4	2	0	3	0	0	0	0	0	1		1		3	1	4	0	0	1	0			Yes	
													4	1	4	0	0						
5	5	0	5	0																	0	No	
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
6	0																						

BNCJUP16 / 2025286

BNCJUP16 0000200274 C.2 7/11/25, 2:08 PM Released

## 2.9 Gear Guardian® Formulas

BNCJUP16.C01 0000200273 B.2 C.2 A.7 1/2/20, 1:16 PM Released

### 2.9.1 About the Double Extract Step

BNCJUP16.C02 0000200357 B.2 C.2 B.4 7/11/25, 1:37 PM Released

The double extract step in current E-P Plus® software provides improved extraction of goods that tend to hold water. Such items include moisture barriers and other goods that do not allow water to pass through them. Double extract is available in version 2300F or higher of software WUV7J1B, and in version 2200V and higher of software WUH7JA.

A double extract occurs if the machine is configured for Gear Guardian formulas and an intermediate extract is programmed (step type=5). The machine runs at intermediate extract speed for 150 seconds before performing a software recycle, as if the vibration switch tripped.

**Table 94. Formula 01–Light Soil Turnouts**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0	1	1		1	1	4	0	0	1	3			Yes
2	2	0	2	0	0	0	0	1	1		6		0					1	3			No
3	4	0	1	0																		No
4	2	0	1	0	0	0	0	1	1		6		0					1	3			No
5	4	0	1	0																		No
6	2	0	1	0	0	0	0	0	1		6		0					1	3			No
7	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
8	0																					

**Table 95. Formula 02–Heavy Soil Turnouts**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0	1	1		1	1	4	0	0	1	3			Yes
2	2	0	2	0	0	0	0	1	1		6		0					1	3			No
3	2	0	7	0	0	0	0	1	0	1	1		2	1	4	0	0	1	3			Yes
4	2	0	1	0	0	0	0	1	1		6		0					1	3			No
5	4	0	1	0																		No
6	2	0	1	0	0	0	0	1	1		6		0					1	3			No
7	4	0	1	0																		No
8	2	0	1	0	0	0	0	0	1		6		0					1	3			No
9	5	0	6	0																	0	No

**Table 95 Formula 02–Heavy Soil Turnouts (cont'd.)**

Decision																							
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose	
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																						
10	0																						

**Table 96. Formula 03–Light Soil Moisture Barriers**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	5	0	0	0	0	1	0	1	1		1	1	4	0	0	1	3			Yes
2	2	0	1	0	0	0	0	1	1		6		0					1	3			No
3	4	0	1	0																		No
4	2	0	1	0	0	0	0	0	1		6		0					1	3			No
5	5	0	4	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
6	0																					

**Table 97. Formula 04–Heavy Soil Moisture Barriers**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	5	0	0	0	0	1	0	1	1		1	1	4	0	0	1	3			Yes
2	2	0	1	0	0	0	0	1	1		6		0					1	3			No
3	4	0	1	0																		No
4	2	0	1	0	0	0	0	0	1		6		0					1	3			No
5	5	0	5	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
6	0																					

**Table 98. Formula 05–Oil-contaminated Gear**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	1	0	0	0	0	1	0	1	1		1	1	4	0	0	1	3			Yes
2	3	1	5	0	0	0	0	1	1		1		0						3			No
3	2	0	2	0	0	0	0	1	1		6		0					1	3			No
4	2	0	7	0	0	0	0	1	0	1	1		2	1	4	0	0	1	3			Yes
5	2	0	1	0	0	0	0	1	1		6		0					1	3			No
6	4	0	1	0																		No

**Table 98 Formula 05—Oil-contaminated Gear (cont'd.)**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
7	2	0	1	0	0	0	0	1	1		6		0					1	3			No
8	4	0	1	0																		No
9	2	0	1	0	0	0	0	0	1		6		0					1	3			No
10	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
11	0																					

**Table 99. Formula 06—Brush Gear**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	8	0	0	0	0	1	0	1	1		1	1	4	0	0	1	3			Yes
2	2	0	2	0	0	0	0	1	1		6		0					1	3			No
3	4	0	1	0																		No
4	2	0	1	0	0	0	0	1	1		6		0					1	3			No
5	4	0	1	0																		No
6	2	0	1	0	0	0	0	0	1		6		0					1	3			No
7	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
8	0																					

**Table 100. Formula 07—Hoods and Suspenders**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	6	0	0	0	0	1	0	1	1		1	1	4	0	0	1	3			Yes
2	2	0	1	0	0	0	0	1	1		6		0					1	3			No
3	4	0	1	0																		No
4	2	0	1	0	0	0	0	1	1		6		0					1	3			No
5	4	0	1	0																		No
6	2	0	1	0	0	0	0	0	1		6		0					1	3			No
7	5	0	5	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
8	0																					

**Table 101. Formula 08–Truck Towels**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	3			Yes
2	2	0	1	0	0	0	0	1	0		6		0					1	3			No
3	4	0	1	0																		No
4	2	0	1	0	0	0	0	1	1		6		0					1	3			No
5	4	0	1	0																		No
6	2	0	1	0	0	0	0		1		6		0					1	3			No
7	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
4	0																					

**Table 102. Formula 09–Stationwear**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	8	0	0	0	0	1	0	1	1		1	1	4	0	0	1	3			Yes
2	2	0	4	0	0	0	0	1	1		1		0					1	3			No
3	4	0	1	0																		No
4	2	0	1	0	0	0	0	1	1		6		0					1	3			No
5	4	0	1	0																		No
6	2	0	1	0	0	0	0	0	1		6		0					1	3			No
7	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
8	0																					

**Table 103. Formula 10–Linens**

Decision																						
Step Number	T	M	M	Q	F	F	F	H	C	3	L	S	C	W	S	S	*	SPD	D	R	E	Chem. Dose
1	2	0	7	0	0	0	0	1	0		1		1	1	4	0	0	1	3			Yes
2	2	0	1	0	0	0	0	1	0		6		0					1	3			No
3	4	0	1	0																		No
4	2	0	1	0	0	0	0	1	1		6		0					1	3			No
5	4	0	1	0																		No
6	2	0	1	0	0	0	0	1	1		6		0					1	3			No
7	5	0	6	0																	0	No
<b>Note:</b>	Because TxJ models are equipped with a single extract speed, all extract steps in TxJ models are programmed "T=4."																					
8	0																					